

## MATERIAL SAFETY DATA SHEET

### CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT : AL MAHA 2T MOTOR OIL NMMA : TCWII  
 CODE : ALM26XXYY  
 COMPANY IDENTIFICATION : M/s UNITED GREASE AND LUBRICANTS  
 : P.O. BOX 2685  
 : AJMAN  
 U.A.E.  
 EMERGENCY PHONE NUMBER : 00971-6-7436521  
 PRODUCT USE : 2 STROKE ENGINE OIL

### COMPOSITION / INFORMATION ON INGREDIENTS

COMPONENTS : MINERAL BASE OIL & ADDITIVES  
 CALCIUM LONG CHAIN ALKARYL  
 SULFONATE,ALKYL PHENOL)

### HAZARDS IDENTIFICATION

HAZARDS : UNDER NORMAL CONDITIONS OF USE ,THIS  
 PRODUCT SHOULD NOT CAUSE ANY  
 SIGNIFICANT HEALTH HAZARDS.HOW  
 EVER A PROLONGED USE MAY CAUSE  
 DERMATITIS.

### FIRST AID MEASURES

SKIN CONTACT : REMOVE CONTAMINATED CLOTHING,WASH  
 SKIN IMMEDIATELY WITH WATER AND SOAP

EYE CONTACT : FLUSH WITH LARGE AMOUNT OFWATER,  
 GET MEDICAL ATTENTION IF IRRITATION  
 PERSISTS

INGESTION : DO NOT INDUCE VOMITING .GET MEDICAL  
 ATTENTION

INHALATION : IN CASE OF EXPOSURE TO HIGH  
 CONCENTRATION REMOVE PERSON TO  
 FRESH AIR



شركة المها لتسويق المنتجات النفطية ش م ع ، ص ب : ٥٧ ، الرمز البريدي ١١٦ ، ميناء الفحل ، سلطنة عمان  
 هاتف مكتب: +٩٦٨ ٢٤٦١٠٢٠٠ فاكس: +٩٦٨ ٢٤٦١٠٢٠١ البريد الالكتروني: almaha@almaha.com.om س.ت: ١/٦١٣٧٠/٧

Al Maha Petroleum Products Marketing Company SAOG, P.O. Box 57, Postal Code 116, Mina Al Fahal, Sultanate of Oman  
 Tel: +968 24610200 Fax: +968 24610201 Email: almaha@almaha.com.om www.almaha.com.om C.R. : 1/61370/7

FIRE FIGHTING MEASURES

FLASH POINT : 140 Deg C  
EXTINGUISHING MEDIA : CO2 ,DRY CHEMICAL, OR FOAM.WATER SPRAY,DO NOT USE WATER JETS .THEY  
COULD CAUSE SPLATTERING.

ACCIDENTAL RELEASE MEASURES

ENVIRONMENTAL PROTECTION : SHUT OFF SOURCE OF SPILL .RECOVER FREE LIQUIDS BY USING APPROPRIATE TECHNIQUES.NOTIFY LOCAL AUTHORITIES  
HANDLING AND STORAGE : HANDLING AND STORAGE TEMP. AMBIENT TO 85 Deg C

EXPOSURECONTROLS/PERSONAL PROTECTION.

HAND/EYES/SKIN PROTECTION : WEAR GOGGLES,PROTECTIVE CLOTHING ,GLOVES.  
VENTILATION : NO SPECIAL VENTILATION REQUIRED  
PHYSICAL AND CHEMICAL PROPERTIES  
APPEARANANCE : C&B  
ODOUR : CHARACTERISTIC  
COLOR : GOLDEN  
DENSITY @ 15 Deg : 0.865Kg/L  
FLASH POINT : 140Deg C  
SOLUBLITY : SOLUBLE IN HYDROCARBON  
SOLVENTS,INSOLUBLE IN WATER  
STABILITY AND REACTIVITY

STABILITY : STABLE PRODUCT  
HAZARDOUS REACTION : NONE

ECOLOGICAL INFORMATION

GENERAL : NO SPECIFIC ENVIRONMENTAL DATA AVAILABLE

DISPOSAL CONSIDERATION

DISPOSAL OF PRODUCT : DO NOT DISPOSE OF THE PRODUCT EITHER NEW OR USED ,BY DISCHARGING IN TO SEWERS,TUNNELS,LAKES OR WATER COURSES.



TRANSPORT INFORMATION :  
NOT DANGEROUS FOR CONVEYANCE  
UNDER UN, IMO,ADR/RID AND : NOT REGULATED  
IATA/CAO CODES

REGULATORY INFORMATION:

SYMBOL[S] NONE  
R PHRASE[S] NONE  
S PHRASE[S] NONE



OTHER INFORMATION:

R-PHRASES LISTED IN CHAPTER 2 : R41 RISK OF SERIOUS DAMAGE TO EYES  
R51/53 TOXIC TO AQUATIC ORGANISMS, MAY  
CAUSE LONG-TERM ADVERSE EFFECTS IN THE  
AQUATIC ENVIRONMENT

PRODUCT INFORMATION: FOR SPESIFIC OR DETAILED TECHNICAL DATA  
FOR THIS PRODUCT, PLEASE CONTACT YOUR  
LOCAL SALES REPRESENTATIVE.

Note: To the best of our knowledge and belief, the information provided in this MSDS are correct. We make no warranty, whatsoever, expressed or implied of merchantability or fitness for the particular purpose regarding the accuracy of such data or the result to be obtained from the use thereof. We do not assume any ability liability for consequences of the uses of this information since it may be applied under conditions beyond our control or knowledge. The information is furnished on the condition that the recipients shall make their own decision as to safety and suitability of the material for their purposes. We will not be responsible for damages of any nature resulting from the use or reliance upon the information and recommendations. If you have purchased this product for supply to a third party, it is your duty to pass on to that third party the information given in this Data Sheet. If the third party is an employer it is his duty to pass the information given in the Data Sheet to the employer of whoever uses or handles this product. It is an employer's duty to advise and instruct his employees handling the product [and other who may be affected]. Of any hazards described in the Data Sheet and of any precautions which should be taken to ensure safe handling of the product.

The contents and format of this MSDS are in accordance with EEC Commission Directive 93/112/EEC

QA.F/49

Revision:00 Issue Date:24/01/2018